

# **APPENDIX J**

## **AIR QUALITY SUPPORTING DOCUMENTATION**

**J1: Emissions Calculations**

**J2: Construction and Non-Permitting Air Regulations by State**

## J1: EMISSIONS CALCULATIONS

**Table J1-1. Project Characteristics from Facilities Construction and Upgrades**

Project Name	Duration [days]	Clearing Area [acres]	Building Area [sq ft]	Paving [acres]
Construct a new Port of Entry (POE) (clearing)	365	0.92	20,000	2.3
Modernize/upgrade existing POE (clearing)	365	0.69	15,000	1.96
Construct a new Border Patrol Station (BPS) (clearing)	365	1.15	25,000	0.23
Install SBInet monopole communications towers (clearing)	45	0.12	2,500	0.14
Set up permanent traffic checkpoints (clearing)	180	0.28	6,000	0.12
Construct facilities to support Office of Air and Marine (OAM) operations (clearing)	365	0.92	20,000	0.12

**Table J1-2. Construction Emissions Roll-up**

Activity	CO [tons]	NO <sub>x</sub> [tons]	PM <sub>10</sub> [tons]	PM <sub>2.5</sub> [tons]	SO <sub>2</sub> [tons]	VOC [tons]
Construct a new POE (clearing)	0.3	0.6	0.2	0.1	0.1	< 0.1
Construct a new POE (building)	1.2	1.5	0.1	0.1	0.2	0.2
Construct a new POE (paving)	0.4	0.8	0.1	0.1	0.1	0.1
Modernize/upgrade existing POE (clearing)	0.2	0.4	0.2	< 0.1	0.1	< 0.1
Modernize/upgrade existing POE (building)	0.9	1.1	0.1	0.1	0.1	0.2
Modernize/upgrade existing POE (paving)	0.4	0.7	< 0.1	< 0.1	0.1	0.1
Construct a new BPS (clearing)	0.4	0.7	0.3	0.1	0.1	< 0.1
Construct a new BPS (building)	1.5	1.8	0.1	0.1	0.2	0.3
Construct a new BPS (paving)	< 0.1	0.1	< 0.1	0.0	< 0.1	< 0.1
Install SBInet monopole communications towers (clearing)	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Install SBInet monopole communications towers (building)	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Install SBInet monopole communications towers (paving)	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Set up permanent traffic checkpoints (clearing)	< 0.1	0.1	< 0.1	< 0.1	< 0.1	< 0.1
Set up permanent traffic checkpoints (building)	0.2	0.2	< 0.1	< 0.1	< 0.1	< 0.1
Set up permanent traffic checkpoints (paving)	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
Construct facilities to support OAM operations (clearing)	0.3	0.6	0.1	< 0.1	0.1	< 0.1
Construct facilities to support OAM operations (building)	1.2	1.5	0.1	0.1	0.2	0.2
Construct facilities to support OAM operations (paving)	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1

**Table J1-3. Heavy Equipment Use from Facilities Construction and Upgrades**

Clearing and Grading	New POE	Upgrade existing POE	New BPS	Monopole Communications Towers	Permanent Traffic Checkpoints	Construct OAM Facilities
Scrapers	148	111	185	2	22	148
Graders	148	111	185	2	22	148
Off-highway trucks	148	111	185	2	22	148
Tractors/loaders/backhoes	148	111	185	2	22	148
Crawler tractor/dozers	148	111	185	2	22	148
Building						
Generator sets	322	242	403	5	48	322
Air compressors	184	138	230	3	27	184
Plate compactors	368	276	460	6	54	368
Cement & mortar mixers	644	483	805	10	95	644
Cranes	644	483	805	10	95	644
Off-highway trucks	644	483	805	10	95	644
Tractors/loaders/backhoes	644	483	805	10	95	644
Paving						
Pavers	370	315	37	3	9	19
Plate compactors	212	180	21	2	5	11
Rollers	741	630	74	5	18	37
Off-highway trucks	370	315	37	3	9	19

**Table J1-4. Heavy Equipment Emissions from Facilities Construction and Upgrades**

Project	CO [tons]	NO <sub>x</sub> [tons]	PM <sub>10</sub> [tons]	PM <sub>2.5</sub> [tons]	SO <sub>2</sub> [tons]	VOC [tons]
Construct a new POE (clearing)	0.2297	0.5636	0.0406	0.0394	0.0945	0.0381
Construct a new POE (building)	0.5392	1.4296	0.0992	0.0966	0.1972	0.1188
Construct a new POE (paving)	0.3192	0.7906	0.0585	0.0568	0.1292	0.0546
Modernize/upgrade existing POE (clearing)	0.1723	0.4227	0.0305	0.0296	0.0709	0.0286
Modernize/upgrade existing POE (building)	0.4044	1.0722	0.0744	0.0724	0.1479	0.0891
Modernize/upgrade existing POE (paving)	0.2713	0.672	0.0497	0.0482	0.1098	0.0464
Construct a new BPS (clearing)	0.2872	0.7045	0.0508	0.0493	0.1182	0.0477
Construct a new BPS (building)	0.674	1.7871	0.124	0.1207	0.2465	0.1485
Construct a new BPS (paving)	0.0319	0.0791	0.0059	0.0057	0.0129	0.0055
Install SBInet monopole communications towers (clearing)	0.0035	0.0087	0.0006	0.0006	0.0015	0.0006
Install SBInet monopole communications towers (building)	0.0083	0.022	0.0015	0.0015	0.003	0.0018
Install SBInet monopole communications towers (paving)	0.0024	0.0058	0.0004	0.0004	0.001	0.0004
Set up permanent traffic checkpoints (clearing)	0.034	0.0834	0.006	0.0058	0.014	0.0056
Set up permanent traffic checkpoints (building)	0.0798	0.2115	0.0147	0.0143	0.0292	0.0176
Set up permanent traffic checkpoints (paving)	0.0079	0.0195	0.0014	0.0014	0.0032	0.0013
Construct facilities to support OAM operations (clearing)	0.2297	0.5636	0.0406	0.0394	0.0945	0.0381
Construct facilities to support OAM operations (building)	0.5392	1.4296	0.0992	0.0966	0.1972	0.1188
Construct facilities to support OAM operations (paving)	0.016	0.0395	0.0029	0.0028	0.0065	0.0027
<b>Total non-road emissions</b>	<b>3.85</b>	<b>9.91</b>	<b>0.7</b>	<b>0.68</b>	<b>1.48</b>	<b>0.76</b>

**Table J1-5. Worker Trip Emissions from Facilities Construction and Upgrades**

Project	Trips	VMT	CO [tons]	NO <sub>x</sub> [tons]	PM <sub>10</sub> [tons]	PM <sub>2.5</sub> [tons]	SO <sub>2</sub> [tons]	VOC [tons]
Construct a new POE (clearing)	1	11,903	0.05	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Construct a new POE (building)	14	149,040	0.66	0.05	< 0.01	< 0.01	< 0.01	0.05
Construct a new POE (paving)	3	29,756	0.13	0.01	< 0.01	< 0.01	< 0.01	0.01
Modernize/upgrade existing POE (clearing)	1	8,927	0.04	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Modernize/upgrade existing POE (building)	11	111,780	0.5	0.04	< 0.01	< 0.01	< 0.01	0.04
Modernize/upgrade existing POE (paving)	2	25,293	0.11	0.01	< 0.01	< 0.01	< 0.01	0.01
Construct a new BPS (clearing)	1	14,878	0.07	0.01	< 0.01	< 0.01	< 0.01	< 0.01
Construct a new BPS (building)	18	186,300	0.83	0.06	< 0.01	< 0.01	< 0.01	0.06
Construct a new BPS (paving)	0	2,976	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Install SBInet monopole communications towers (clearing)	0	183	0	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Install SBInet monopole communications towers (building)	2	2,297	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Install SBInet monopole communications towers (paving)	0	220	0	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Set up permanent traffic checkpoints (clearing)	0	1,761	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Set up permanent traffic checkpoints (building)	4	22,050	0.1	0.01	< 0.01	< 0.01	< 0.01	0.01
Set up permanent traffic checkpoints (paving)	0	734	0	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Construct facilities to support OAM operations (clearing)	1	11,903	0.05	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01
Construct facilities to support OAM operations (building)	14	149,040	0.66	0.05	< 0.01	< 0.01	< 0.01	0.05
Construct facilities to support OAM operations (paving)	0	1,488	0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01

Source: USEPA, 2003; SQAQMD, 1993.

**Table J1-6. Architectural Coating Emissions (Paint) from Facilities Construction and Upgrades**

Project	Heated Area	Wall Surface	EFVOC [lbs/1000 Square Feet]	VOC [tons]
Construct a new POE (building)	20,000	40,000	55.5	0.04
Modernize/upgrade existing POE (building)	15,000	30,000	55.5	0.03
Construct a new BPS (building)	25,000	50,000	55.5	0.05
Install SBInet monopole communications towers (building)	2,500	5,000	55.5	0.01
Set up permanent traffic checkpoints (building)	6,000	12,000	55.5	0.01
Construct facilities to support OAM operations (building)	20,000	40,000	55.5	0.04

Source: SQAQMD, 1993.

**Table J1-7. Paving Off-gas Emissions from Facilities Construction and Upgrades**

Project	Paved Area [acres]	EFVOC [lbs/acre]	VOC [tons]
Construct a new POE (paving)	2.3	2.62	0.003
Modernize/upgrade existing POE (paving)	1.96	2.62	0.0026
Construct a new BPS (paving)	0.23	2.62	0.0003
Install SBInet monopole communications towers (paving)	0.14	2.62	0.0002
Set up permanent traffic checkpoints ( paving)	0.12	2.62	0.0002
Construct facilities to support OAM operations (paving)	0.12	2.62	0.0002

Source: SQAQMD, 1993.

**Table J1-8. Fugitive Dust Emissions from Facilities Construction and Upgrades**

Project	PM <sub>10</sub> /TSP	PM <sub>2.5</sub> /PM <sub>10</sub>	EFTSP [lbs/acre/day]	Capture Fraction	Duration of Grading [days]	Cleared Area [acres]	PM <sub>10</sub> [tons]	PM <sub>2.5</sub> [tons]
Construct a new POE (clearing)	0.45	0.15	80	0.5	230	0.92	0.19	0.03
Modernize/upgrade existing POE (clearing)	0.45	0.15	80	0.5	230	0.69	0.14	0.02
Construct a new BPS (clearing)	0.45	0.15	80	0.5	230	1.15	0.24	0.04
Install SBInet monopole communications towers (clearing)	0.45	0.15	80	0.5	28.36	0.12	< 0.1	< 0.1
Set up permanent traffic checkpoints (clearing)	0.45	0.15	80	0.5	113.42	0.28	0.03	< 0.1
Construct facilities to support OAM operations (clearing)	0.45	0.15	80	0.5	230	0.92	0.19	0.03

Source: USEPA, 1995; USEPA, 2005.

**Table J1-9. Emissions from Fence Construction**

<b>Construction Equipment Use</b>	<b>Number of Units</b>	<b>Days on Site</b>	<b>Hours Per Day</b>	<b>Operating Hours</b>			
Generator sets	2	365	8	5,840			
Tractors/loaders/backhoes	2	365	8	5,840			
<b>Construction Equipment Emission Factors (lbs/hour)</b>	<b>CO</b>	<b>NO<sub>x</sub></b>	<b>VOC</b>	<b>SO<sub>x</sub></b>	<b>PM<sub>10</sub></b>	<b>PM<sub>2.5</sub></b>	<b>CO<sub>2</sub></b>
Cranes	0.6011	1.6100	0.1778	0.0014	0.0715	0.0715	128.7
Generator sets	0.3461	0.6980	0.1075	0.0007	0.0430	0.0430	61.0
Tractors/loaders/backhoes	0.4063	0.7746	0.1204	0.0008	0.0599	0.0599	66.8
Pavers composite	0.5874	1.0796	0.1963	0.0009	0.0769	0.0769	77.9
Paving equipment	0.0532	0.1061	0.0166	0.0002	0.0063	0.0063	12.6
<b>Construction Equipment Emissions (tons)</b>	<b>CO</b>	<b>NO<sub>x</sub></b>	<b>VOC</b>	<b>SO<sub>x</sub></b>	<b>PM<sub>10</sub></b>	<b>PM<sub>2.5</sub></b>	<b>CO<sub>2</sub></b>
Generator sets	1.0106	2.0382	0.3138	0.0020	0.1256	0.1256	178.0986
Tractors/loaders/backhoes	1.1865	2.2617	0.3516	0.0023	0.1748	0.1748	195.0746
<b>Total</b>	<b>2.20</b>	<b>4.30</b>	<b>0.67</b>	<b>0.0043</b>	<b>0.30</b>	<b>0.30</b>	<b>373.17</b>

Source: CARB, 2007a; CARB 2007b.

**Table J1-10. Emissions from Construction of Roads, Bridges, Culverts, & Low Water Crossings**

Equipment Type	Number of Units	Days on Site	Hours Per Day	Operating Hours
Excavators composite	1	230	4	920
Rollers composite	1	230	8	1,840
Rubber tired dozers composite	1	230	8	1,840
Plate compactors composite	2	230	4	1,840
Trenchers composite	2	230	8	3,680
Air compressors	1	230	4	920
Cement & mortar mixer	2	230	6	2,760
Cranes	1	230	7	1,610
Generator sets	2	230	4	1,840
Tractors/loaders/backhoes	2	230	7	3,220
Pavers composite	2	230	8	3,680
Paving equipment	2	230	8	3,680

**Construction Equipment Emission Factors (lbs/hour)**

<b>Equipment</b>	<b>CO</b>	<b>NO<sub>x</sub></b>	<b>VOC</b>	<b>SO<sub>x</sub></b>
Excavators composite	0.5828	1.3249	0.1695	0.0013
Rollers composite	0.4341	0.8607	0.1328	0.0008
Rubber tired dozers composite	1.5961	3.2672	0.3644	0.0025
Plate compactors composite	0.0263	0.0328	0.0052	0.0001
Trenchers composite	0.5080	0.8237	0.1851	0.0007
Air compressors	0.3782	0.7980	0.1232	0.0007
Cement and Mortar Mixers	0.0447	0.0658	0.0113	0.0001
Cranes	0.6011	1.6100	0.1778	0.0014
Generator sets	0.3461	0.6980	0.1075	0.0007
Tractors/loaders/backhoes	0.4063	0.7746	0.1204	0.0008
Pavers composite	0.5874	1.0796	0.1963	0.0009
Paving equipment	0.0532	0.1061	0.0166	0.0002

**Construction Equipment Emissions (tons)**

<b>Equipment</b>	<b>CO</b>	<b>NO<sub>x</sub></b>	<b>VOC</b>	<b>SO<sub>x</sub></b>
Excavators composite	0.2681	0.6095	0.0780	0.0006
Rollers composite	0.3994	0.7918	0.1222	0.0007
Rubber tired dozers composite	1.4684	3.0058	0.3353	0.0023
Plate compactors composite	0.0242	0.0302	0.0047	0.0001
Trenchers composite	0.9347	1.5156	0.3405	0.0013
Air compressors	0.1740	0.3671	0.0567	0.0003
Cement and mortar mixers	0.0617	0.0907	0.0156	0.0001
Cranes	0.4839	1.2961	0.1432	0.0011
Generator sets	0.3184	0.6422	0.0989	0.0006
Tractors/loaders/backhoes	0.6542	1.2470	0.1939	0.0012
Pavers composite	1.0809	1.9865	0.3612	0.0016
Paving equipment	0.0979	0.1952	0.0305	0.0003
<b>Total</b>	<b>5.97</b>	<b>11.78</b>	<b>1.78</b>	<b>0.0103</b>

Source: CARB, 2007a; CARB, 2007b.

**Table J1-11. Emissions from Heating**

	<b>POE</b>	<b>BPS</b>	<b>FOB</b>			
Gross area	20,000	25,000	10,000	sf		
Heating requirements	99,000	99,000	99,000	btu/sf		
Total annual heat required	1,980	2,475	990	MMBTU		
Heating value	150	150	150	MMBtu/1000 Gallons		
Total #2 oil used	13.2	16.5	6.6	10 <sup>3</sup> Gallons		
<b>Pollutant</b>	<b>CO</b>	<b>NO<sub>x</sub></b>	<b>VOC</b>	<b>SO<sub>x</sub></b>	<b>PM<sub>10</sub></b>	<b>PM<sub>2.5</sub></b>
Emission factor (lb/1000 gal)	5	24	2.493	0.1	2	2
POE	0.03	0.16	0.02	0.00	0.01	0.01
BPS	0.04	0.20	0.02	0.00	0.02	0.02
Forward Operating Base (FOB)	0.02	0.08	0.01	0.00	0.01	0.01

Source: USEPA, 1995.

1. Emission factors for all pollutants were obtained from U.S. EPA's AP-42, Section 1.3. Conservatively assume that PM<sub>10</sub> = PM.
2. Assumed sulfur concentration 1%
3. Heating requirements obtained from Commercial Buildings Energy Consumption Survey, DOE, 2003.

**Table J1-12. Emissions from Emergency Generators**

<b>Pollutant</b>	<b>CO</b>	<b>NO<sub>x</sub></b>	<b>VOC</b>	<b>SO<sub>x</sub></b>	<b>PM<sub>10</sub></b>	<b>PM<sub>2.5</sub></b>
Emission Factor [lb/hp-hr]	0.0055	0.024	0.000705	0.00809	0.0007	0.0007
<b>Generator Rating [kW]</b>	<b>Estimated Run Time (hr/yr)</b>	<b>Annual Power Output [kw-hr/yr]</b>	<b>CO</b>	<b>NO<sub>x</sub></b>	<b>VOC</b>	<b>SO<sub>x</sub></b>
750	100	75000	0.28	1.21	0.04	0.41
Total Emissions [tpy]			0.28	1.21	0.04	0.41

Source: USEPA, 1995.

**Table J1-13. Emissions from Worker Commutes**

	<b>POE</b>	<b>BPS</b>	<b>FOB</b>			
Number of workers	30	50	20			
Number of trips	2	2	2			
Miles per trip	30	30	30			
Days of work	260	260	260			
Total mi	468,000	780,000	312,000			
<b>Pollutant</b>	<b>CO</b>	<b>NO<sub>x</sub></b>	<b>VOC</b>	<b>SO<sub>x</sub></b>	<b>PM<sub>10</sub></b>	<b>PM<sub>2.5</sub></b>
Emission Factor (lbs/mile)	0.0105	0.0011	0.0011	0.0000	0.0001	0.0001
POE	2.47	0.26	0.25	0.00	0.02	0.01
BPS	4.11	0.43	0.42	0.00	0.03	0.02
FOB	1.65	0.17	0.17	0.00	0.01	0.01

Source: CARB, 2007.

**Table J1-14. Emissions from Facilities (POE, BPS, FOB)**

Activity/Source	CO	NO <sub>x</sub>	VOC	SO <sub>x</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>
POE						
Boiler emissions	0.03	0.16	0.02	0.00	0.01	0.01
Emergency generators	0.28	1.21	0.04	0.41	0.04	0.04
Worker commutes	2.47	0.26	0.25	0.00	0.02	0.01
<b>Total Operational Emissions</b>	<b>2.78</b>	<b>1.62</b>	<b>0.30</b>	<b>0.41</b>	<b>0.07</b>	<b>0.06</b>
BPS						
Boiler emissions	0.04	0.20	0.02	0.00	0.02	0.02
Emergency generators	0.28	1.21	0.04	0.41	0.04	0.04
Worker commutes	4.11	0.43	0.42	0.00	0.03	0.02
<b>Total Operational Emissions</b>	<b>4.43</b>	<b>1.84</b>	<b>0.48</b>	<b>0.41</b>	<b>0.08</b>	<b>0.07</b>
FOB						
Boiler emissions	0.02	0.08	0.01	0.00	0.01	0.01
Emergency generators	0.28	1.21	0.04	0.41	0.04	0.04
Worker commutes	1.65	0.17	0.17	0.00	0.01	0.01
<b>Total Operational Emissions</b>	<b>1.94</b>	<b>1.46</b>	<b>0.21</b>	<b>0.41</b>	<b>0.06</b>	<b>0.05</b>

**Table J1-15. Emissions from Unmanned Aircraft Systems (UAS) Missions**

Number of aircraft	10					
Maximum daily operations	1					
Number of training days per year	230					
Number of flights	2,300					
	<b>CO</b>	<b>NO<sub>x</sub></b>	<b>VOC</b>	<b>SO<sub>x</sub></b>	<b>PM<sub>10</sub></b>	<b>PM<sub>2.5</sub></b>
Landing/Take-off (LTO) Emission Factors (kg/hour)	2.50	0.56	1.59	0.05	0.09	0.09
Time in mode/operation (min)	5	5	5	5	5	5
LTO Emission (tons)	0.11	0.02	0.07	0.00	0.00	0.00
Flight Emission Factors (kg/hour)	0.48	2.80	0	0.22	0.40	0.40
Time in mode/operation (min)	115	115	115	115	115	115
Flight Emissions (tons)	0.48	2.81	0.00	0.22	0.40	0.40
<b>Total</b>	<b>0.59</b>	<b>2.83</b>	<b>0.07</b>	<b>0.22</b>	<b>0.40</b>	<b>0.40</b>

Source: USAF, 2006.

Note: RQ-7B Shadow Used as Surrogate UAS

**Table J1-16. Emissions from Manned Aerial Surveillance Patrols (New England Region)**

<b>No Action Alternative</b>							
	<b>Cessna Citation</b>	<b>UH-60</b>					
Maximum daily operations	13.8	1.2					
Number of days per year	230	230					
Number of flights	3174	276					
	<b>CO</b>	<b>NO<sub>x</sub></b>	<b>VOC</b>	<b>SO<sub>x</sub></b>	<b>PM<sub>10</sub></b>	<b>PM<sub>2.5</sub></b>	
LTO Emission Factors (Citation)	10.46	0.46	0.122	0.122	0.18	5.49	kg/operation
LTO Emission (Citation)	7.55	0.33	0.09	0.09	0.13	3.96	tons
LTO Emission Factors (UH-60)	4.385	0.431	0.115	0.115	0.15	6.674	kg/operation
LTO Emission (UH-60)	0.28	0.03	0.01	0.01	0.01	0.42	tons
<b>Total</b>	<b>7.8</b>	<b>0.4</b>	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>	<b>7.8</b>	tons
<b>Surveillance and Communications Technology Expansion Alternative</b>							
	<b>Cessna Citation</b>	<b>UH-60</b>					
Maximum daily operations	21.16	1.84					
Number of days per year	230	230					
Number of flights	4866.8	423.2					
	<b>CO</b>	<b>NO<sub>x</sub></b>	<b>VOC</b>	<b>SO<sub>x</sub></b>	<b>PM<sub>10</sub></b>	<b>PM<sub>2.5</sub></b>	
LTO Emission Factors (Citation)	10.46	0.46	0.122	0.122	0.18	10.46	kg/operation
LTO Emission (Citation)	11.57	0.51	0.13	0.13	0.20	11.57	tons
LTO Emission Factors (UH-60)	4.385	0.431	0.115	0.115	0.15	4.385	kg/operation
LTO Emission (UH-60)	0.42	0.04	0.01	0.01	0.01	0.42	tons
<b>Total</b>	<b>12.0</b>	<b>0.6</b>	<b>0.1</b>	<b>0.1</b>	<b>0.2</b>	<b>12.0</b>	tons

Flexible Direction Alternative							
	Cessna Citation	UH-60					
Maximum daily operations	18.4	1.6					
Number of days per year	230	230					
Number of flights	4232	368					
	CO	NO <sub>x</sub>	VOC	SO <sub>x</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>	
LTO Emission Factors (Citation)	10.46	0.46	0.122	0.122	0.18	5.49	kg/operation
LTO Emission (Citation)	11.57	0.51	0.13	0.13	0.20	6.07	tons
LTO Emission Factors (UH-60)	4.385	0.431	0.115	0.115	0.15	6.674	kg/operation
LTO Emission (UH-60)	0.42	0.04	0.01	0.01	0.01	0.42	tons
<b>Total</b>	<b>12.0</b>	<b>0.6</b>	<b>0.1</b>	<b>0.1</b>	<b>0.2</b>	<b>12.0</b>	<b>tons</b>

Source: EDMS, 2007.

**Table J1-17. Emissions from Waterborne Patrols (New England Region)**

<b>No Action Alternative</b>						
Number of watercraft	16					
Hours per year	50	Hours				
Power rating	150	hp				
Equipment/Tech Type	CO	NO <sub>x</sub>	VOC	SO <sub>x</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>
Emission Factor (grams/hp-hour)	153.7	5.350	0.06	0.06	0.00	5.88
	<b>8.1</b>	<b>0.3</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.3</b>
<b>Surveillance and Communications Technology Expansion Alternative</b>						
Number of watercraft	24					
Hours per year	50	Hours				
Power rating	150	hp				
Equipment/Tech Type	CO	NO <sub>x</sub>	VOC	SO <sub>x</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>
Emission Factor (grams/hp-hour)	153.7	5.350	0.06	0.06	0.00	5.88
	<b>12.2</b>	<b>0.4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.5</b>
<b>Flexible Direction Alternative</b>						
Number of watercraft	24					
Hours per year	50	Hours				
Power rating	150	hp				
Equipment/Tech Type	CO	NO <sub>x</sub>	VOC	SO <sub>x</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>
Emission Factor (grams/hp-hour)	153.7	5.350	0.06	0.06	0.00	5.88
	<b>12.2</b>	<b>0.4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.5</b>

Source: USEPA 2002; USEPA, 2010a; USEPA, 2010b.

**Table J1-18. Emissions from Manned Aerial Surveillance Patrols (Great Lakes Region)**

No Action Alternative							
	Cessna Citation	UH-60					
Maximum daily operations	13.8	1.2					
Number of days per year	230	230					
Number of flights	3174	276					
	CO	NO <sub>x</sub>	VOC	SO <sub>x</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>	
LTO Emission Factors (Citation)	10.46	0.46	0.122	0.122	0.18	5.49	kg/operation
LTO Emission (Citation)	7.55	0.33	0.09	0.09	0.13	3.96	tons
LTO Emission Factors (UH-60)	4.385	0.431	0.115	0.115	0.15	6.674	kg/operation
LTO Emission (UH-60)	0.28	0.03	0.01	0.01	0.01	0.42	tons
<b>Total</b>	<b>7.8</b>	<b>0.4</b>	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>	<b>4.4</b>	<b>tons</b>
Surveillance and Communications Technology Expansion Alternative							
	Cessna Citation	UH-60					
Maximum daily operations	18.4	1.6					
Number of days per year	230	230					
Number of flights	4232	368					
	CO	NO <sub>x</sub>	VOC	SO <sub>x</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>	
LTO Emission Factors (Citation)	10.46	0.46	0.122	0.122	0.18	5.49	kg/operation
LTO Emission (Citation)	11.57	0.51	0.13	0.13	0.20	6.07	tons
LTO Emission Factors (UH-60)	4.385	0.431	0.115	0.115	0.15	6.674	kg/operation
LTO Emission (UH-60)	0.42	0.04	0.01	0.01	0.01	0.42	tons
<b>Total</b>	<b>12.0</b>	<b>0.6</b>	<b>0.1</b>	<b>0.1</b>	<b>0.2</b>	<b>6.5</b>	<b>tons</b>

Flexible Direction Alternative						
--------------------------------	--	--	--	--	--	--

	Cessna Citation	UH-60				
Maximum daily operations	21.16	1.84				
Number of days per year	230	230				
Number of flights	4866.8	423.2				

	CO	NO <sub>x</sub>	VOC	SO <sub>x</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>	
LTO Emission Factors (Citation)	10.46	0.46	0.122	0.122	0.18	5.49	kg/operatio n
LTO Emission (Citation)	11.57	0.51	0.13	0.13	0.20	6.07	tons
LTO Emission Factors (UH- 60)	4.385	0.431	0.115	0.115	0.15	6.674	kg/operatio n
LTO Emission (UH-60)	0.42	0.04	0.01	0.01	0.01	0.42	tons
<b>Total</b>	<b>12.0</b>	<b>0.6</b>	<b>0.1</b>	<b>0.1</b>	<b>0.2</b>	<b>6.5</b>	<b>tons</b>

Source: EDMS, 2007.

**Table J1-19. Emissions from Waterborne Patrols (Great Lakes Region)**

<b>No Action Alternative</b>						
Number of watercraft	24					
Hours per year	50	Hours				
Power rating	150	hp				
<b>Equipment/Tech Type</b>	<b>CO</b>	<b>NO<sub>x</sub></b>	<b>VOC</b>	<b>SO<sub>x</sub></b>	<b>PM<sub>10</sub></b>	<b>PM<sub>2.5</sub></b>
Emission Factor (grams/hp-hour)	153.7	5.350	0.06	0.06	0.00	5.88
	<b>12.2</b>	<b>0.4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.5</b>
<b>Surveillance and Communications Technology Expansion Alternative</b>						
Number of watercraft	24					
Hours per year	50	Hours				
Power rating	150	hp				
<b>Equipment/Tech Type</b>	<b>CO</b>	<b>NO<sub>x</sub></b>	<b>VOC</b>	<b>SO<sub>x</sub></b>	<b>PM<sub>10</sub></b>	<b>PM<sub>2.5</sub></b>
Emission Factor (grams/hp-hour)	153.7	5.350	0.06	0.06	0.00	5.88
	<b>12.2</b>	<b>0.4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.5</b>
<b>Flexible Direction Alternative</b>						
Number of watercraft	24					
Hours per year	50	Hours				
Power rating	150	hp				
<b>Equipment/Tech Type</b>	<b>CO</b>	<b>NO<sub>x</sub></b>	<b>VOC</b>	<b>SO<sub>x</sub></b>	<b>PM<sub>10</sub></b>	<b>PM<sub>2.5</sub></b>
Emission Factor (grams/hp-hour)	153.7	5.350	0.06	0.06	0.00	5.88
	<b>12.2</b>	<b>0.4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.5</b>

Source: USEPA 2002; USEPA, 2010a, USEPA, 2010b.

**Table J1-20. Emissions from Manned Aerial Surveillance Patrols (East of the Rockies)**

<b>No Action Alternative</b>							
	<b>Cessna Citation</b>	<b>UH-60</b>					
Maximum daily operations	18.4	1.6					
Number of days per year	230	230					
Number of flights	4232	368					
	<b>CO</b>	<b>NO<sub>x</sub></b>	<b>VOC</b>	<b>SO<sub>x</sub></b>	<b>PM<sub>10</sub></b>	<b>PM<sub>2.5</sub></b>	
LTO Emission Factors (Citation)	10.46	0.46	0.122	0.122	0.18	5.49	kg/operation
LTO Emission (Citation)	10.06	0.44	0.12	0.12	0.17	5.28	tons
LTO Emission Factors (UH-60)	4.385	0.431	0.115	0.115	0.15	6.674	kg/operation
LTO Emission (UH-60)	0.37	0.04	0.01	0.01	0.01	0.56	tons
<b>Total</b>	<b>10.4</b>	<b>0.5</b>	<b>0.1</b>	<b>0.1</b>	<b>0.2</b>	<b>5.8</b>	<b>tons</b>
<b>Surveillance and Communications Technology Expansion Alternative</b>							
	<b>Cessna Citation</b>	<b>UH-60</b>					
Maximum daily operations	27.6	2.4					
Number of days per year	230	230					
Number of flights	6348	552					
	<b>CO</b>	<b>NO<sub>x</sub></b>	<b>VOC</b>	<b>SO<sub>x</sub></b>	<b>PM<sub>10</sub></b>	<b>PM<sub>2.5</sub></b>	
LTO Emission Factors (Citation)	10.46	0.46	0.122	0.122	0.18	5.49	kg/operation
LTO Emission (Citation)	15.09	0.66	0.18	0.18	0.26	7.92	tons
LTO Emission Factors (UH-60)	4.385	0.431	0.115	0.115	0.15	6.674	kg/operation
LTO Emission (UH-60)	0.55	0.05	0.01	0.01	0.02	0.56	tons
<b>Total</b>	<b>15.6</b>	<b>0.7</b>	<b>0.2</b>	<b>0.2</b>	<b>0.3</b>	<b>8.5</b>	<b>tons</b>

Flexible Direction Alternative							
	Cessna Citation	UH-60					
Maximum daily operations	27.6	2.4					
Number of days per year	230	230					
Number of flights	6348	552					
	CO	NO <sub>x</sub>	VOC	SO <sub>x</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>	
LTO Emission Factors (Citation)	10.46	0.46	0.122	0.122	0.18	5.49	kg/operation
LTO Emission (Citation)	15.09	0.66	0.18	0.18	0.26	7.92	tons
LTO Emission Factors (UH-60)	4.385	0.431	0.115	0.115	0.15	6.674	kg/operation
LTO Emission (UH-60)	0.55	0.05	0.01	0.01	0.02	0.56	tons
<b>Total</b>	<b>15.6</b>	<b>0.7</b>	<b>0.2</b>	<b>0.2</b>	<b>0.3</b>	<b>8.5</b>	<b>tons</b>

Source: EDMS, 2007.

**Table J1-21. Emissions from Waterborne Patrols (East of the Rockies Region)**

<b>No Action Alternative</b>						
Number of watercraft	5					
Hours per year	50	Hours				
Power rating	150	hp				
<b>Equipment/Tech Type</b>	<b>CO</b>	<b>NO<sub>x</sub></b>	<b>VOC</b>	<b>SO<sub>x</sub></b>	<b>PM<sub>10</sub></b>	<b>PM<sub>2.5</sub></b>
Emission Factor (grams/hp-hour)	153.7	5.350	0.06	0.06	0.00	5.88
	<b>2.5</b>	<b>0.1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.1</b>
<b>Surveillance and Communications Technology Expansion Alternative</b>						
Number of watercraft	10					
Hours per year	50	Hours				
Power rating	400	hp				
<b>Equipment/Tech Type</b>	<b>CO</b>	<b>NOx</b>	<b>VOC</b>	<b>SO<sub>x</sub></b>	<b>PM<sub>10</sub></b>	<b>PM<sub>2.5</sub></b>
Emission Factor (grams/hp-hour)	153.7	5.350	0.06	0.06	0.00	5.88
	<b>5.1</b>	<b>0.2</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.2</b>
<b>Flexible Direction Alternative</b>						
Number of watercraft	10					
Hours per year	50	Hours				
Power rating	400	hp				
<b>Equipment/Tech Type</b>	<b>CO</b>	<b>NO<sub>x</sub></b>	<b>VOC</b>	<b>SO<sub>x</sub></b>	<b>PM<sub>10</sub></b>	<b>PM<sub>2.5</sub></b>
Emission Factor (grams/hp-hour)	153.7	5.350	0.06	0.06	0.00	5.88
	<b>5.1</b>	<b>0.2</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.2</b>

Source: USEPA 2002; USEPA, 2010a; USEPA, 2010b.

**Table J1-22. Emissions from Manned Aerial Surveillance Patrols (West of the Rockies Region)**

<b>No Action Alternative</b>							
	<b>Cessna Citation</b>	<b>UH-60</b>					
Maximum daily operations	18.4	1.6					
Number of days per year	230	230					
Number of flights	4232	368					
	<b>CO</b>	<b>NO<sub>x</sub></b>	<b>VOC</b>	<b>SO<sub>x</sub></b>	<b>PM<sub>10</sub></b>	<b>PM<sub>2.5</sub></b>	
LTO Emission Factors (Citation)	10.46	0.46	0.122	0.122	0.18	5.49	kg/operation
LTO Emission (Citation)	10.06	0.44	0.12	0.12	0.17	5.28	tons
LTO Emission Factors (UH-60)	4.385	0.431	0.115	0.115	0.15	6.674	kg/operation
LTO Emission (UH-60)	0.37	0.04	0.01	0.01	0.01	0.56	tons
<b>Total</b>	<b>10.4</b>	<b>0.5</b>	<b>0.1</b>	<b>0.1</b>	<b>0.2</b>	<b>5.8</b>	<b>tons</b>
<b>Surveillance and Communications Technology Expansion Alternative</b>							
	<b>Cessna Citation</b>	<b>UH-60</b>					
Maximum daily operations	21.16	1.84					
Number of days per year	230	230					
Number of flights	4866.8	423.2					
	<b>CO</b>	<b>NO<sub>x</sub></b>	<b>VOC</b>	<b>SO<sub>x</sub></b>	<b>PM<sub>10</sub></b>	<b>PM<sub>2.5</sub></b>	
LTO Emission Factors (Citation)	10.46	0.46	0.122	0.122	0.18	5.49	kg/operation
LTO Emission (Citation)	11.57	0.51	0.13	0.13	0.20	6.07	tons
LTO Emission Factors (UH-60)	4.385	0.431	0.115	0.115	0.15	6.674	kg/operation
LTO Emission (UH-60)	0.42	0.04	0.01	0.01	0.01	0.56	tons
<b>Total</b>	<b>12.0</b>	<b>0.6</b>	<b>0.1</b>	<b>0.1</b>	<b>0.2</b>	<b>6.6</b>	<b>tons</b>

Flexible Direction Alternative							
	Cessna Citation	UH-60					
Maximum daily operations	21.16	1.84					
Number of days per year	230	230					
Number of flights	4866.8	423.2					
	CO	NO <sub>x</sub>	VOC	SO <sub>x</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>	
LTO Emission Factors (Citation)	10.46	0.46	0.122	0.122	0.18	5.49	kg/operation
LTO Emission (Citation)	11.57	0.51	0.13	0.13	0.20	6.07	tons
LTO Emission Factors (UH-60)	4.385	0.431	0.115	0.115	0.15	6.674	kg/operation
LTO Emission (UH-60)	0.42	0.04	0.01	0.01	0.01	0.56	tons
<b>Total</b>	<b>12.0</b>	<b>0.6</b>	<b>0.1</b>	<b>0.1</b>	<b>0.2</b>	<b>6.6</b>	<b>tons</b>

Source: EDMS, 2007.

**Table J1-23. Emissions from Waterborne Patrols (West of the Rockies Region)**

No Action Alternative						
Number of watercraft	14					
Hours per year	50	Hours				
Power rating	400	Hp				
Equipment/Tech Type	CO	NO <sub>x</sub>	VOC	SO <sub>x</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>
Emission Factor (grams/hp-hour)	153.7	5.350	0.06	0.06	0.00	5.88
	<b>7.1</b>	<b>0.2</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.3</b>
Surveillance and Communications Technology Expansion Alternative						
Number of watercraft	21					
Hours per year	50	Hours				
Power rating	400	Hp				
Equipment/Tech Type	CO	NO <sub>x</sub>	VOC	SO <sub>x</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>
Emission Factor (grams/hp-hour)	153.7	5.350	0.06	0.06	0.00	5.88
	<b>10.7</b>	<b>0.4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.4</b>
Flexible Direction Alternative						
Number of watercraft	21					
Hours per year	50	Hours				
Power rating	400	Hp				
Equipment/Tech Type	CO	NO <sub>x</sub>	VOC	SO <sub>x</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>
Emission Factor (grams/hp-hour)	153.7	5.350	0.06	0.06	0.00	5.88
	<b>10.7</b>	<b>0.4</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.4</b>

Source: USEPA 2002; USEPA, 2010a; USEPA, 2010b.

**Table J1-24. Emissions from All-Terrain Vehicle (ATV) Patrols**

Number of ATVs	50					
Mileage per year	1608					
Equipment/Tech Type	CO	NO <sub>x</sub>	VOC	SO <sub>x</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>
Emission Factor (grams/mile)	52.7	0.340	55.7	0.00	0.022	0.022
Total Emissions (tons)	<b>4.67</b>	<b>0.03</b>	<b>4.93</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>

**Table J1-25. Emissions from Snowmobile Patrols**

Number of snowmobiles	22					
Hours per year	57	Hours				
Power rating	100	hp				
Equipment/Tech Type	CO	NO <sub>x</sub>	VOC	SO <sub>x</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>
Emission Factor (grams/hp-hour)	296.0	0.860	111.0	0.00	2.70	2.70
	<b>40.88</b>	<b>0.12</b>	<b>15.33</b>	<b>0.00</b>	<b>0.37</b>	<b>0.37</b>

Source: USEPA 2002; USEPA, 2010a; USEPA, 2010b.

**Table J1-26. Emissions from On-road Vehicle Patrols**

Number of Workers	30					
Number of Patrols Per Day	4					
Mi per trip	100					
Days of Work	230					
Total mi	2,760,000					
Pollutant	CO	NO <sub>x</sub>	VOC	SO <sub>x</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>
Emission Factor (lbs/mile)	0.0105	0.0011	0.0011	0.0000	0.0001	0.0001
<b>Total Emissions</b>	<b>14.56</b>	<b>1.52</b>	<b>1.49</b>	<b>0.01</b>	<b>0.12</b>	<b>0.07</b>

Source: CARB, 2007.

## J2: CONSTRUCTION AND NON-PERMITTING AIR REGULATIONS BY STATE

**TABLE J2-1. Construction and Non-permitting Air Regulations by State**

Operations and Construction Regulations	Non-permitting Requirements
<u><a href="http://adm.idaho.gov/adminrules/rules/idapa58/0101.pdf">Idaho Department of Administration</a></u> <a href="http://adm.idaho.gov/adminrules/rules/idapa58/0101.pdf">http://adm.idaho.gov/adminrules/rules/idapa58/0101.pdf</a> <ul style="list-style-type: none"> <li>• Permit Requirements for New and Modified Stationary Sources (IDAPA 58.01.203)</li> <li>• Procedure and requirements for permits to construct (IDAPA 58.01.200)</li> </ul>	<ul style="list-style-type: none"> <li>• Rules for Control of Fugitive Dust (IDAPA 58.01.650)</li> <li>• Rules for Control of Open Burning (IDAPA 58.0106)</li> </ul>
<u><a href="http://www.maine.gov/dep/blwq/delegation/t38toc.pdf">Maine Revised Statutes</a></u> <a href="http://www.maine.gov/dep/blwq/delegation/t38toc.pdf">http://www.maine.gov/dep/blwq/delegation/t38toc.pdf</a> <ul style="list-style-type: none"> <li>• New Source performance standards (MSRA 38.2.143)</li> </ul>	<ul style="list-style-type: none"> <li>• Control of Visible Emissions (MSRA 38.2.101)</li> <li>• Reasonably Available Control Technology for Facilities that Emit VOC (MRSA 38.2.134)</li> <li>• Open Burning (MSRA 38.2.102)</li> </ul>
<u><a href="http://www.michigan.gov/deq/0,1607,7-135-3310_4108-97106--,00.html">Michigan Department of Natural Resources and Environment Air Pollution Control Rules (APCR)</a></u> <a href="http://www.michigan.gov/deq/0,1607,7-135-3310_4108-97106--,00.html">http://www.michigan.gov/deq/0,1607,7-135-3310_4108-97106--,00.html</a> <ul style="list-style-type: none"> <li>• New Source Review Rule <a href="http://www.michigan.gov/deq/0,1607,7-135-3310_4108-97106--,00.html">(APCR 201)</a>  <a href="http://www.michigan.gov/deq/0,1607,7-135-3310_4108-97106--,00.html">http://www.michigan.gov/deq/0,1607,7-135-3310_4108-97106--,00.html</a></li> <li>• Renewable Operating Permit <a href="http://www.michigan.gov/deq/0,1607,7-135-3310_4108-97106--,00.html">(APCR 201)</a>  <a href="http://www.michigan.gov/deq/0,1607,7-135-3310_4108-97106--,00.html">http://www.michigan.gov/deq/0,1607,7-135-3310_4108-97106--,00.html</a></li> </ul>	<ul style="list-style-type: none"> <li>• Emission Limitations and Prohibitions Particulate Matter ( R 336.1115)</li> <li>• Emission Limitations and Prohibitions Existing sources of VOC (R 336.1601)</li> <li>• Open Burning Model Ordinance (R 336.1115)</li> </ul>
<u><a href="https://www.revisor.mn.gov/rules/?id=7007">Minnesota State Air Rules (MSAR)</a></u> <a href="https://www.revisor.mn.gov/rules/?id=7007">https://www.revisor.mn.gov/rules/?id=7007</a> <ul style="list-style-type: none"> <li>• Sources required to obtain/ not obtain a permit (MAR 7007.0250-0300)</li> <li>• Source Operation During Transition (MAR 7007.0350)</li> </ul>	<ul style="list-style-type: none"> <li>• Air Pollution Abatement. (MSAR116.061)</li> <li>• VOC Material Balance (MAR 7019.3060)</li> <li>• Open Burning Regulations (MSAR 8816)</li> </ul>
<u><a href="http://deq.mt.gov/AirQuality/AQPermits.mcpx">MT Dept of Environmental Quality (MDEQ)</a></u> <a href="http://deq.mt.gov/AirQuality/AQPermits.mcpx">http://deq.mt.gov/AirQuality/AQPermits.mcpx</a> <ul style="list-style-type: none"> <li>• General Air Quality Operating Permits (ARM 17.8.1211)</li> <li>• Air Quality Operating Permit Program (ARM 17.8.1204)</li> </ul>	<ul style="list-style-type: none"> <li>• Visibility Impact Assessment (fugitive dust) (ARM Title 17.8-1106)</li> <li>• Open Burning (ARM Title 17.8-604)</li> </ul>

Operations and Construction Regulations	Non-permitting Requirements
<p><u>New Hampshire Air Program Rules (NHCAR)</u>  <a href="http://des.nh.gov/organization/commissioner/legal/rules/index.htm">http://des.nh.gov/organization/commissioner/legal/rules/index.htm</a>" \l "air</p> <ul style="list-style-type: none"> <li>• Statewide Permit System (Env-A 600)</li> <li>• Testing and Monitoring Procedures (Env-A 800)</li> </ul>	<ul style="list-style-type: none"> <li>• Fugitive Dust (Env-A 101.87)</li> <li>• VOC (Env-A 101.211)</li> <li>• Open Burning (Env-A 1001)</li> </ul>
<p><u>NYSDEC</u>  <a href="http://www.dec.ny.gov/regulations/50970.html">http://www.dec.ny.gov/regulations/50970.html</a></p> <ul style="list-style-type: none"> <li>• Requirements for Emissions Sources (Chapter III-Subpart 231-1)</li> <li>• Operations (Chapter III Subpart 231-3.2)</li> </ul>	<ul style="list-style-type: none"> <li>• Control of Particulate Emissions (NYSDEC Chapter III, Subpart 257-3)</li> <li>• Control of Organic Emissions (NYSDEC Chapter III, Subpart 212)</li> <li>• Control of Open Burning and Incineration (NYSDEC Chapter III, Part 215)</li> </ul>
<p><u>ND Air Pollution Control Rules</u>  <a href="http://www.legis.nd.gov/information/acdata/html/33-15.html">http://www.legis.nd.gov/information/acdata/html/33-15.html</a></p> <ul style="list-style-type: none"> <li>• Permit to Construct (33-15-14)</li> <li>• Standards of Performance for NSS (33-15-12)</li> </ul>	<ul style="list-style-type: none"> <li>• Emissions of Particulate Matter Restrict Emissions (33-15-05)</li> <li>• Control of Organic Compounds (33-15-07)</li> <li>• Open Burning Restrictions (33-15-04)</li> </ul>
<p><u>Ohio Air Pollution Regulations</u>  <a href="http://www.epa.state.oh.us/dapc/regs/regs.aspx">http://www.epa.state.oh.us/dapc/regs/regs.aspx</a></p> <ul style="list-style-type: none"> <li>• Permits to Install New Sources (OAC 3645-31)</li> <li>• Air Permits to Operate and Variances (OAC 3645-35)</li> </ul>	<ul style="list-style-type: none"> <li>• Particulate Matter Standards (OAC 3745-17)</li> <li>• Open Burning Standards (OAC 3745-19)</li> <li>• NO<sub>x</sub> and VOC Emissions Statements (OAC 3745-24)</li> </ul>
<p><u>PA Air Pollution Regulations</u>  <a href="http://www.pacode.com/secure/data/025/chapter123/chap123toc.html">http://www.pacode.com/secure/data/025/chapter123/chap123toc.html</a></p> <ul style="list-style-type: none"> <li>• Construction, Modification, Reactivation and Operation of Sources (Article III Chapter 127)</li> </ul>	<ul style="list-style-type: none"> <li>• Fugitive Particulate Matter (PAC Article III, 123.2)</li> <li>• Open Burning Operations ( PAC Article III, 123.1.6)</li> </ul>
<p><u>Vermont Air Pollution Control Regulations</u>  <a href="http://www.anr.state.vt.us/air/docs/apcregs.pdf">http://www.anr.state.vt.us/air/docs/apcregs.pdf</a></p> <ul style="list-style-type: none"> <li>• Review of Construction or Modification of Air Contaminant Sources (VAPCR 5-501)</li> <li>• Operations and Procedures (VAPCR 5-401-406)</li> </ul>	<ul style="list-style-type: none"> <li>• Prohibition of Particulate Matter (VAPCR 5-231)</li> <li>• Control of Volatile Organic Compounds (VAPCR 5-253)</li> <li>• Permissible Open Burning (VAPCR 5-202)</li> </ul>
<p><u>Washington Regulations for Air Pollution Sources</u>  <a href="http://apps.leg.wa.gov/wac/default.aspx?cite=173-400">http://apps.leg.wa.gov/wac/default.aspx?cite=173-400</a></p> <ul style="list-style-type: none"> <li>• Operating permit regulation (173-401 WAC)</li> <li>• Construction, General regulation for Air Pollution (173-400 WAC )</li> </ul>	<ul style="list-style-type: none"> <li>• Ambient Air Quality Standards for Particulate Matter (WAC 173-470)</li> <li>• Outdoor Burning (WAC 173-425)</li> </ul>

Operations and Construction Regulations	Non-permitting Requirements
<p><u>Wisconsin Department of Natural Resources Air Rules</u>  <a href="http://www.legis.state.wi.us/rsb/code/nr/nr406.pdf">http://www.legis.state.wi.us/rsb/code/nr/nr406.pdf</a></p> <ul style="list-style-type: none"> <li>• NR 406.03 Permit requirements and exemptions for construction permits. (NR 406.03)</li> <li>• Operations 440.01 Standards of Performance for New Stationery Sources (NR 440.01)</li> </ul>	<ul style="list-style-type: none"> <li>• Control of Particulate Emissions (WAC NR 415)</li> <li>• Control of Organic Compound Emissions from Surface Coating, Printing and Asphalt Paving Operations (WAC NR 419)</li> <li>• Malodorous Emissions and Open Burning (WAC NR 429)</li> </ul>

## **REFERENCES**

- (CARB, 2007). California Air Resource Board. 2007. *Air Emission FACTors (EMFAC) Model*. Accessed December 2010 at [http://www.arb.ca.gov/msei/onroad/latest\\_version.htm](http://www.arb.ca.gov/msei/onroad/latest_version.htm).
- (SCAQMD, 1993). South Coast Air Quality Management District. 1993. *CEQA Air Quality Handbook*. April 1993.
- (USEPA, 1995). U.S. Environmental Protection Agency. 1995a. *Compilation of Air Pollutant Emission Factors, AP-42, 5th edition, Vol. I: Stationary Point and Area Sources*.
- (USEPA, 2003). U.S. Environmental Protection Agency. 2003. *User's Guide to MOBILE6.2: Mobile Source Emission Factor Model*. EPA420-R-02-028. August 2003.
- (USEPA, 2010a). United States Environmental Protection Agency. 2010. *Nonroad Engine Population Estimates*. US EPA Report No. NR-006e.
- (USEPA, 2010b). United States Environmental Protection Agency. 2010. *Median Life, Annual Activity, and Load Factor Values for Nonroad Engine Emissions Modeling*. US EPA Report No. NR-005d.